

---

Item no.: 2000-2231  
Product description: DOUBLE DECK TERMINAL BLOCK THROUGH/THROUGH  
L/L with marker carrier Housing color: gray

---



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	22 (TOPJOB S RAIL-MOUNTED TERMINAL BLOCKS)
Number of levels	2
Cross section [mm <sup>2</sup> ]	0.14 - 1 mm <sup>2</sup>
Cross section [AWG]	24 - 16 AWG
Connection method	CAGE CLAMP®S Connection
Cross section [mm <sup>2</sup> ]	0.14 - 1.5 mm <sup>2</sup>
Cross section [AWG]	24 - 16 AWG
Wiring method	e+f
Connection method	CAGE CLAMP®S Connection
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	13.5 A
Current intensity EN	18 A
Weight	7.39 g
Color	gray
Wiring type	Front-entry
No. of connection Points	4

No. of potentials	2
Height	62 mm
Height	2.441 in
Width	3.5 mm



Width	0.138 in
Depth	70 mm
Depth	2.76 in
Strip length from	9 mm
Strip length to	11 mm
Strip length	0.39 in
Customs Tariff No.	85369010
Country of Origin	Deutschland

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected