

Wiha SoftFinish®.

The specialist for dry and general applications.



The right tool at a glance, thanks to the printed screw symbol on the handle end.

Blade with hex bolster for wrenches to use on particularly tight screws.

The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. This requires less force, yet achieves 40% more torque than conventional handles. The handle is shaped to fit comfortably in the hand, providing maximum torque forces in dry and general working conditions.

If a stuck screw has to be loosened, a precise hammer blow can be applied to the solid steel cap. Due to the hex blade extending through the handle to the steel cap, there is no loss of impact energy.



The solid steel cap at the end of the SoftFinish® handle enables controlled hammer blows, for example, when loosening a tight screw.



Due to the solid steel cap and hex blade extending through the handle, there is no loss of impact energy when a precise hammer blow is applied.



Wiha SoftFinish®.

- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Printed screw symbol on handle end for fast identification
- Available in versions with round blade, hex blade or hex blade with solid steel cap
- Blade made of high quality CVM-steel, through-hardened and chrome plated
- Wiha ChromTop®-finish on tip for a perfect fit every time



Thermoplastic elastomer tolerates high loads and feels soft and pleasant to the touch.



► See VDE tools,
page 226 – 231

For slotted screws.




302 SoftFinish® slotted screwdriver.
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 5265, DIN ISO 2380.
Application: Especially for dry and general applications.

Order-No.	⌀	↔	⊖	●	↔	↔	⊖	€/pc.
00684 6	2.0	65	0.4	2.0	169	23	10	3.20
00685 3	2.5	75	0.4	2.5	179	23	10	3.45
00686 0	3.0	80	0.5	3.0	184	23	10	3.80
00687 7	3.0	100	0.5	3.0	204	23	10	4.00
00689 1	3.0	150	0.5	3.0	254	23	10	4.70
00690 7	3.0	200	0.5	3.0	304	23	10	5.50
32383 7	3.0	300	0.5	3.0	404	23	5	6.30
00691 4	3.5	100	0.6	3.5	204	23	10	3.90
26931 9	3.5	200	0.5	3.5	304	23	10	5.50
00692 1	4.0	100	0.8	4.0	211	30	10	4.60
00694 5	4.0	150	0.8	4.0	261	30	10	5.05
00695 2	4.0	200	0.8	4.0	311	30	10	5.05
00696 9	4.0	300	0.8	4.0	411	30	5	7.15
27753 6	4.5	80	0.8	4.5	191	30	10	4.65
00697 6	4.5	125	0.8	4.5	236	30	10	4.95
00698 3	5.5	125	1.0	5.5	236	30	10	7.05
00700 3	5.5	150	1.0	5.5	261	30	10	7.30
00701 0	5.5	200	1.0	5.5	311	30	10	7.90
00702 7	5.5	300	1.0	5.5	411	30	5	8.60
27754 3	6.0	100	1.2	6.0	218	36	10	7.50
27755 0	6.0	150	1.2	6.0	268	36	10	8.10
32384 4	6.0	300	1.1	6.0	418	36	5	8.80
00704 1	6.5	100	1.2	6.0	218	36	10	7.50
00703 4	6.5	150	1.2	6.0	268	36	10	8.10
00706 5	6.5	200	1.2	6.0	318	36	5	8.70
00708 9	8.0	150	1.2	7.0	274	41	10	10.10
00707 2	8.0	175	1.2	7.0	299	41	5	10.50
00709 6	8.0	175	1.6	7.0	299	41	5	10.50
32399 8	8.0	300	1.2	7.0	424	41	5	11.30
00711 9	10.0	200	1.6	8.0	324	41	5	13.10
32400 1	10.0	300	1.6	8.0	424	41	5	13.90
00712 6	12.0	250	2.0	8.0	374	41	5	16.60
00713 3	14.0	250	2.5	11.0	374	41	5	18.30

• Additional dimension. Non-DIN size.



308 SoftFinish® slotted screwdriver.
Hex blade with hex bolster.

Order-No.	⌀	↔	⊖	●	⊖	↔	↔	⊖	€/pc.
00731 7	3.5	75	0.6	4.0	-	186	30	10	4.55
00732 4	4.5	90	0.8	4.0	-	201	30	10	5.80
00733 1	5.5	100	1.0	5.0	8	213	36	10	8.10
00734 8	6.5	125	1.2	6.0	10	238	36	10	8.80
00735 5	7.0	125	1.1	6.0	10	238	36	10	8.80
00736 2	8.0	150	1.2	8.0	13	268	41	10	11.60
00737 9	9.0	150	1.4	8.0	13	268	41	10	11.60
00738 6	10.0	175	1.6	8.0	13	293	41	5	14.00
00739 3	12.0	200	2.0	10.0	16	318	41	5	16.70
00740 9	14.0	250	2.5	10.0	16	368	41	5	19.30

• Additional dimension. Non-DIN size.

For slotted and Phillips screws.



530 SoftFinish® slotted screwdriver.
Hex blade with hex bolster, solid steel cap.

Order-No.	⌀	↔	⊖	●	⊖	↔	↔	⊖	€/pc.
03223 4	3.5	75	0.6	4.0	-	186	30	10	7.60
03224 1	4.5	90	0.8	4.0	-	201	30	10	8.30
03225 8	5.5	100	1.0	5.0	8	213	36	10	10.60
03226 5	6.5	125	1.2	6.0	10	238	36	10	13.20
03228 9	8.0	150	1.2	8.0	13	271	41	5	17.80
03230 2	10.0	175	1.6	8.0	13	296	41	5	22.10
03231 9	12.0	200	2.0	10.0	16	321	41	5	28.10
03232 6	14.0	250	2.5	10.0	16	371	41	5	34.00

• Additional dimension. Non-DIN size.



NEW
398 SoftFinish® slotted screw-holding screwdriver.
Clamping sleeve holds the screw.

Blade: Chrome-vanadium steel, through hardened, black-finish.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.

Order-No.	⌀	↔	⊖	↔	↔	⊖	€/pc.
32867 2	2.5	75	0.4	186	30	5	12.40
32868 9	3.0	100	0.5	211	30	5	12.90
32869 6	4.0	125	0.8	243	36	5	15.80
32870 2	5.0	150	1.0	268	36	5	18.30
32871 9	6.0	175	1.2	293	36	5	20.50



311 SoftFinish® Phillips screwdriver.
Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	●	↔	↔	⊖	€/pc.
00754 6	PH0	60	3.0	164	23	10	4.45
27756 7	PH0	100	3.0	204	23	10	4.95
00756 0	PH1	80	4.5	191	30	10	5.25
27757 4	PH1	100	4.5	211	30	10	5.80
00757 7	PH1	200	4.5	311	30	10	6.80
03738 3	PH1	300	4.5	411	30	5	7.80
00759 1	PH2	100	6.0	218	36	10	7.40
27758 1	PH2	150	6.0	268	36	10	8.20
00760 7	PH2	200	6.0	318	36	5	8.60
03739 0	PH2	300	6.0	418	36	5	9.60
00762 1	PH3	150	8.0	274	41	10	10.50
00763 8	PH4	200	10.0	324	41	5	14.10

• Additional dimension. Non-DIN size.

Wiha SoftFinish®.

The specialist for dry and general applications.

For Phillips screws.



312 SoftFinish® Phillips screwdriver. Hex blade with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	⦿	○	↔	↔	↔	€ /pc.
00764 5	PH1	80	5.0	8	186	30	10	6.40
00765 2	PH2	100	6.0	10	213	36	10	8.70
00766 9	PH3	150	8.0	13	268	41	10	12.30
00767 6	PH4	200	10.0	16	318	41	5	15.70



531 SoftFinish® Phillips screwdriver. Hex blade with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	⦿	○	↔	↔	↔	€ /pc.
03237 1	PH1	80	5.0	8	186	30	10	9.50
03238 8	PH2	100	6.0	10	213	36	10	13.40
03239 5	PH3	150	8.0	13	268	41	10	19.70



397 SoftFinish® Phillips screw-holding screwdriver. Clamping sleeve holds the screw.

Blade: Chrome-vanadium steel, through hardened, black-finish.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.

Order-No.	⊕	↔	↔	↔	↔	€ /pc.
32406 3	PH0	100	211	30		14.50
32404 9	PH1	125	236	36		17.40
32405 6	PH2	175	286	36		20.30

For Pozidriv screws.



313 SoftFinish® Pozidriv screwdriver. Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	⦿	○	↔	↔	↔	€ /pc.
00768 3	PZ0	60	3.0	164	23		10	5.10
00770 6	PZ1	80	4.5	191	30		10	6.20
26454 3	PZ1	300	4.5	411	30		5	8.50
00772 0	PZ2	100	6.0	218	36		10	8.60
26455 0	PZ2	300	6.0	418	36		5	10.80
00774 4	PZ3	150	8.0	274	41		10	12.90



314 SoftFinish® Pozidriv screwdriver. Hex blade with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	⦿	○	↔	↔	↔	€ /pc.
00776 8	PZ1	80	5.0	8	186	30	10	8.00
00777 5	PZ2	100	6.0	10	213	36	10	10.40
00778 2	PZ3	150	8.0	13	268	41	10	15.10
00779 9	PZ4	200	10.0	16	318	41	5	19.10



532 SoftFinish® Pozidriv screwdriver. Hex blade with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: ISO 8764.
Application: Especially for dry and general applications.

Order-No.	⊕	↔	⦿	○	↔	↔	↔	€ /pc.
03245 6	PZ1	80	5.0	8	186	30	10	10.20
03246 3	PZ2	100	6.0	10	213	36	10	14.60
03247 0	PZ3	150	8.0	13	271	41	10	20.70



► See VDE tools,
page 226 – 231

For TORX® screws.



362 SoftFinish® TORX® screwdriver.

Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	⊕	↔	●	↔	↔	↔	€ /pc.
26259 4	T3	60	2.5	164	23	10	6.20
26260 0	T4	60	2.5	164	23	10	6.20
01285 4	T5	60	2.5	164	23	10	6.20
01286 1	T6	60	3.5	164	23	10	4.65
01287 8	T7	60	3.5	164	23	10	4.65
01288 5	T8	60	3.5	164	23	10	4.65
01289 2	T9	60	4.0	171	30	10	5.00
01290 8	T10	80	4.0	191	30	10	5.20
01291 5	T15	80	4.0	191	30	10	5.20
01292 2	T20	100	4.0	218	36	10	5.50
01293 9	T25	100	4.5	218	36	10	5.80
01294 6	T27	115	5.5	233	36	10	6.00
01295 3	T30	115	6.0	233	36	10	6.50
01296 0	T40	130	7.0	254	41	10	6.50
01297 7	T45	130	8.0	254	41	5	8.40

For TORX® and TORX® tamper resistant screws.



362R SoftFinish® TORX® MagicSpring® screwdriver.

Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	⊕	↔	●	↔	↔	↔	€ /pc.
27736 9	T6	60	3.5	164	23	10	6.20
27737 6	T7	60	3.5	164	23	10	5.70
27738 3	T8	60	3.5	164	23	10	5.70
27739 0	T9	60	4.0	171	30	10	6.50
27740 6	T10	80	4.0	191	30	10	6.70
27741 3	T15	80	4.0	191	30	10	6.80
27742 0	T20	100	4.0	218	36	10	7.30
27743 7	T25	100	4.5	218	36	10	7.50
27811 3	T27	115	5.5	233	36	10	7.80
27744 4	T30	115	6.0	233	36	10	8.50
27745 1	T40	130	7.0	254	41	10	9.40



362BE SoftFinish® TORX® ball end screwdriver.

Hex blade.

Blade: High-quality chrome-molybdenum steel, through-hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For all hard-to-reach TORX® screws.

Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°.

With elongated TORX® profile behind ball end.

Order-No.	⊕	↔	●	●	↔	↔	↔	€ /pc.
32250 2	T9	60	7/64	2.8	164	23	10	6.90
32251 9	T10	60	1/8	3.2	184	23	10	7.25
32252 6	T15	80	9/64	3.6	191	30	10	7.45
32253 3	T20	80	5/32	4.0	211	30	10	7.60
32254 0	T25	100	3/16	4.8	218	36	10	8.00
32255 7	T27	115	7/32	5.6	233	36	10	8.30
32256 4	T30	115	1/4	6.4	233	36	10	9.00



362TR SoftFinish® TORX® Tamper Resistant screwdriver.

With borehole in the blade tip.

For TORX® screws with locking pin.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

With borehole in the blade tip.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Order-No.	⊕	↔	●	↔	↔	↔	€ /pc.
03106 0	T7H	60	3.5	164	23	10	7.50
03107 7	T8H	60	3.5	164	23	10	7.50
03108 4	T9H	60	4.0	171	30	10	7.50
26456 7	T9H	300	4.0	411	30	5	9.70
01300 4	T10H	80	4.0	191	30	10	7.50
26457 4	T10H	300	4.0	411	30	5	9.70
01301 1	T15H	80	4.0	191	30	10	7.75
26458 1	T15H	300	4.0	411	30	5	10.10
01302 8	T20H	100	4.0	211	30	10	7.85
28005 5	T20H	300	4.0	411	30	5	10.10
01303 5	T25H	100	4.5	211	30	10	8.00
01304 2	T27H	115	5.5	233	36	10	8.20
01305 9	T30H	115	6.0	233	36	10	8.60
01306 6	T40H	130	7.0	254	41	10	9.00

Wiha SoftFinish®.

The specialist for dry and general applications.

For TORX PLUS® screws.



362IP SoftFinish® TORX PLUS® screwdriver.

Round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	●	←	●	←	←	←	←	←	€/pc.
26091 0	6IP	60	3.5	164	23			10	5.90
26093 4	7IP	60	3.5	164	23			10	5.80
26095 8	8IP	60	3.5	164	23			10	5.80
26097 2	9IP	60	4.0	171	30			10	6.30
26099 6	10IP	80	4.0	191	30			10	6.50
26101 6	15IP	80	4.0	191	30			10	6.70
26103 0	20IP	100	4.0	218	36			10	7.15
26105 4	25IP	100	4.5	218	36			10	7.50
26107 8	27IP	115	5.5	233	36			10	7.80
26109 2	30IP	115	6.0	233	36			10	8.30
26111 5	40IP	130	7.0	254	41			10	8.80



362RIP SoftFinish® TORX PLUS® MagicSpring® screwdriver.

Retaining spring holds TORX PLUS® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX PLUS® screws in hard to reach areas.

Order-No.	●	←	●	←	←	←	←	←	€/pc.
28760 3	6IP	60	3.5	164	23			10	7.60
28761 0	7IP	60	3.5	164	23			10	7.50
28762 7	8IP	60	3.5	164	23			10	7.50
28763 4	9IP	60	4.0	171	30			10	8.20
28764 1	10IP	80	4.0	191	30			10	8.50
28765 8	15IP	80	4.0	191	30			10	8.75
28766 5	20IP	100	4.0	218	36			10	9.20
28767 2	25IP	100	4.5	218	36			10	10.60
28768 9	27IP	115	5.5	233	36			10	10.10
28769 6	30IP	115	6.0	233	36			10	10.80
28770 2	40IP	130	7.0	254	41			10	11.70

Stubby-screwdriver.



302 SoftFinish® slotted screwdriver.

Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: DIN 5265, DIN ISO 2380, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	⊖	←	⊖	●	←	←	←	←	€/pc.
26964 7	4.0	25	0.8	4.0	81	34		10	4.90
26965 4	5.5	25	1.0	5.5	81	34		10	5.00
26966 1	6.5	25	1.2	6.5	81	34		10	5.35
26967 8	8.0	25	1.2	8.0	81	34		10	5.90



311 SoftFinish® Phillips screwdriver.

Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: ISO 8764, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	⊕	←	●	←	←	←	←	€/pc.
26968 5	PH01	25	4.5	81	34		10	5.05
26969 2	PH02	25	6.0	81	34		10	5.80
26970 8	PH03	25	8.0	81	34		10	6.10



313 SoftFinish® Pozidriv screwdriver.

Short round blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha Stubby SoftFinish® handle, multi-component with roll-off protection.

Standards: ISO 8764, handle acc. to DIN 5268 - style K.

Application: For working in confined spaces.

Order-No.	⊕	←	●	←	←	←	←	€/pc.
26971 5	PZ01	25	4.5	81	34		10	5.90
26972 2	PZ02	25	6.0	81	34		10	6.40
26973 9	PZ03	25	8.0	81	34		10	7.05



► See VDE tools,
page 226 – 231


For hex socket screws.



367 SoftFinish® ball end hex screwdriver. Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For all screws that are difficult to access.
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	●	↔	↔	↕	↔	€/pc.
26303 4	1.5	75	179	23	10	4.75
26304 1	2	100	204	23	10	4.50
26305 8	2.5	100	204	23	10	4.30
26328 7	3	100	204	23	10	4.30
26329 4	4	100	211	30	10	4.70
26330 0	5	100	211	30	10	5.30
26331 7	6	125	243	36	10	6.40
26332 4	8	150	268	36	10	9.00
26333 1	10	150	271	41	5	10.80
26307 2	12	150	271	41	5	14.50



367R SoftFinish® MagicRing® ball end hex screwdriver. Ring made of spring steel holds hex screws in place.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For setting and turning screws in difficult to access areas.
Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	●	↔	↔	↕	↔	€/pc.
26077 4	3	100	204	23	10	5.30
26079 8	4	100	211	30	10	5.70
26081 1	5	100	211	30	10	6.60
26083 5	6	125	243	36	10	8.10
26085 9	8	150	268	36	10	11.20
26087 3	10	150	271	41	5	13.60



Wiha MagicRing®:
spring steel ring
reliably holds hex screws
in place.

For hex socket screws.



356 SoftFinish® hex screwdriver. Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	●	↔	↔	↕	↔	€/pc.
32264 9	1.5	60	164	23	10	2.85
32265 6	2.0	60	164	23	10	2.60
26190 0	2.5	75	179	23	10	2.65
26191 7	3	75	179	23	10	2.65
26192 4	4	75	186	30	10	3.00
26193 1	5	75	186	30	10	3.60
26194 8	6	100	218	36	10	4.85
26195 5	8	100	218	36	10	5.90



357 SoftFinish® offset hex screwdriver. Hex blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Ideal for high-torque applications, e.g. in workshops.

Order-No.	●	↔	↔	↕	↔	€/pc.	
26230 3	3	35	20	139	23	10	3.10
26231 0	4	40	25	151	30	10	3.60
26232 7	5	45	28	156	30	10	4.45
26233 4	6	50	32	168	36	10	5.10
26234 1	8	60	36	178	36	10	6.70
26235 8	10	70	40	199	41	10	8.40

Wiha Info


Ergonomics.

Minimise the stress to your body by working with ergonomically designed tools!
Wiha's ergonomically designed hand tools improve operator comfort, reduce injuries and increase productivity.

Wiha SoftFinish®.

The specialist for dry and general applications.

For hex nuts.



341 SoftFinish® hex nut driver.
Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: Especially for dry and general applications.

Order-No.	Ø	↔	↔	↕	⊥	↔	€/pc.
01018 8	4	125	236	30	6.9	10	6.30
01020 1	5	125	236	30	7.9	10	6.30
01021 8	5.5	125	236	30	7.9	10	6.30
01022 5	6	125	236	30	8.9	10	6.30
01023 2	7	125	243	36	10.9	10	7.90
01024 9	8	125	243	36	11.9	10	8.10
01025 6	9	125	243	36	12.9	10	8.50
01026 3	10	125	243	36	14.4	10	8.60
01027 0	11	125	249	41	15.9	5	11.00
01028 7	12	125	249	41	16.9	5	11.60
01029 4	13	125	249	41	18.4	5	12.00
01030 0	14	125	249	41	19.4	5	12.20
01031 7	15	125	249	41	21.9	5	15.10
01032 4	16	125	249	41	21.9	5	15.10
01033 1	17	125	249	41	23.4	5	15.10



347 SoftFinish® hex nut driver.
Round blade with hex bolster.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: Especially for dry and general applications.

Order-No.	Ø	↔	⊙	↔	↕	⊥	↔	€/pc.
01092 8	7	125	10	238	36	11.0	10	8.60
01093 5	8	125	10	238	36	12.0	10	9.00
01094 2	9	125	10	238	36	13.0	10	9.80
01095 9	10	125	10	238	36	14.5	10	10.30
01096 6	11	125	13	246	41	16.0	5	12.00
01097 3	12	125	13	246	41	17.0	5	12.40
01098 0	13	125	13	246	41	19.0	5	13.20

347 Zoll SoftFinish® hex nut driver. Inch sizes.
Round blade with hex bolster.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.
Deep drawn socket.

Order-No.	Ø	↔	⊙	↔	↕	mm	⊥	↔	€/pc.
02836 7	3/16	125	10	231	30	4.76	8	10	7.50
02837 4	1/4	125	10	238	36	6.35	10	10	8.20
02838 1	5/16	125	10	238	36	7.94	12	10	8.80
02839 8	3/8	125	10	238	36	9.53	14	10	9.80
02840 4	7/16	125	13	246	41	11.11	16	10	12.20
02841 1	1/2	125	13	246	41	12.70	19	10	13.00

For hex and triangular nuts.



343 SoftFinish® hex nut driver.
Short round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: For working in confined spaces.

Order-No.	Ø	↔	↔	↕	⊥	↔	€/pc.
01076 8	5.5	65	176	30	8	10	6.30
01077 5	6	65	176	30	9	10	6.30
01078 2	7	65	183	36	11	10	7.90
01079 9	8	65	183	36	12	10	8.10
01081 2	10	65	183	36	14	10	8.60



372 SoftFinish® hex nut driver.
Flexible shaft for hard to reach areas.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: E.g. for tightening and loosening adjustable hose clamps.

Order-No.	Ø	↔	↔	↕	⊥	↔	€/pc.
01435 3	5	150	261	30	8	10	15.20
01436 0	5.5	150	261	30	8	10	15.20
01437 7	6	150	261	30	9	10	15.20
01438 4	7	150	268	36	11	10	15.60
01439 1	8	150	268	36	12	10	16.00
01440 7	10	175	293	41	14	10	17.00
01443 8	13	175	293	41	19	5	19.00



344 SoftFinish® triangular nut driver.
Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 22416.
Application: For triangular screws DIN 22424 and triangular nuts DIN 22425.

Order-No.	△	↔	↔	↕	⊥	↔	€/pc.	
26212 9	M4	125	6.8	236	30	11	10	11.30
26213 6	M5	125	8.3	236	30	13	10	11.50
26216 7	M6	125	10.05	236	30	16	10	12.30
26214 3	M8	125	12.05	243	36	18	10	15.50
26217 4	M10	125	15.05	243	36	22	10	20.70
26218 1	M12	125	16.55	249	41	24	10	21.60



► See VDE tools,
page 226 – 231

For slotted nuts. Sets with round blades.



305 SoftFinish® slotted nut driver. Round blade.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Standards: DIN 3125.
Application: For nuts DIN 546.

Order-No.	⌀	↔	⊖	⊕	↔	↔	↔	€/pc.
32364 6	M1.7	80	0.5	4.0	184	23	5	8.00
32363 9	M2	80	1.0	4.5	184	23	5	8.00
32362 2	M2.3	90	1.0	5.0	201	30	5	8.60
32361 5	M2.6	90	1.2	5.5	201	30	5	8.70
32360 8	M3	100	1.2	6.0	211	30	5	9.50
32358 5	M3.5	100	1.4	7.0	218	36	5	10.30
32359 2	M4	100	1.4	8.0	218	36	5	11.80
32357 8	M5	125	2.0	10.0	243	36	5	14.00
32356 1	M6	125	2.5	11.0	243	36	5	15.30
32355 4	M8	150	3.0	14.0	274	41	5	19.70
32354 7	M10	150	3.5	18.0	274	41	5	23.00



302 HK6 SO SoftFinish® slotted/Phillips screwdriver set, 6 pcs. Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	Series	↔	€/pc.
07152 3	302 HK6 SO	1	32.90
⊖	302	3.5x100 4.5x125 5.5x150 6.5x150	
⊕	311	PH1x80 PH2x100	



302 ZK6 SO SoftFinish® slotted/Pozidriv screwdriver set, 6 pcs. Round blades.

Order-No.	Series	↔	€/pc.
07153 0	302 ZK6 SO	1	33.90
⊖	302	3.5x100 4.5x125 5.5x150 6.5x150	
⊕	313	PZ1x80 PZ2x100	

Sets with round blades.



311 K6 SoftFinish® Phillips/Pozidriv screwdriver set, 6 pcs. Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	Series	↔	€/pc.
26146 7	311 K6	1	46.40
⊕	311	PH1x80 PH2x100 PH3x150	
⊕	313	PZ1x80 PZ2x100 PZ3x150	



302 HK6 01 SoftFinish® slotted/Phillips/Pozidriv screwdriver set, 6 pcs. Round blades.

Order-No.	Series	↔	€/pc.
26113 9	302 HK6 01	1	37.20
⊖	302	4.0x100 5.5x125 6.5x150	
⊕	311	PH1x80 PH2x100	
⊕	313	PZ2x100	

Wiha SoftFinish®.

The specialist for dry and general applications.

Sets with hex blades.



308 HK6 SoftFinish® slotted/Phillips screwdriver set, 6 pcs. Hex blades with hex bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	Series		€ /pc.
21248 3	308 HK6	1	40.40
⓪	308	3.5x75 4.5x90 5.5x100 7.0x125	
⊕	312	PH1x80 PH2x100	



308 ZK6 SoftFinish® slotted/Pozidriv screwdriver set, 6 pcs. Hex blades with hex bolster.

Order-No.	Series		€ /pc.
21249 0	308 ZK6	1	43.70
⓪	308	3.5x75 4.5x90 5.5x100 7.0x125	
⊕	314	PZ1x80 PZ2x100	

Sets with steel caps. Nut driver set.



530 HK6 SoftFinish® slotted/Phillips screwdriver set, 6 pcs. Hex blades with hex bolster, solid steel cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	Series		€ /pc.
21250 6	530 HK6	1	52.80
⓪	530	3.5x75 4.5x90 5.5x100 6.5x125	
⊕	531	PH1x80 PH2x100	



530 ZK6 SoftFinish® slotted/Pozidriv screwdriver set, 6 pcs. Hex blades with hex bolster, solid steel cap.

Order-No.	Series		€ /pc.
21251 3	530 ZK6	1	53.90
⓪	530	3.5x75 4.5x90 5.5x100 6.5x125	
⊕	532	PZ1x80 PZ2x100	



341 K5 SoftFinish® hex nut driver set, 5 pcs. Round blades.

Blade: Chrome-vanadium steel, through hardened, chrome-plated. Deep drawn socket.
Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.
Application: Especially for dry and general applications.

Order-No.	Series		€ /pc.
01034 8	341 K5	1	40.50
⊙	341	5.5x125 7x125 8x125 10x125 13x125	



► See VDE tools,
page 226 – 231

TORX® sets.



362 K6 SO SoftFinish® TORX® screwdriver set, 6 pcs.

Round blades.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

Order-No.	Series		€ /pc.
07155 4	362 K6 SO	1	33.20
	362	T10x80 T15x80 T20x100 T25x100 T30x115 T40x130	



362 K7 SoftFinish® TORX® screwdriver set, 7 pcs.

Round blades.

Order-No.	Series		€ /pc.
01299 1	362 K7	1	36.30
	362	T8x60 T9x60 T10x80 T15x80 T20x100 T25x100 T30x115	



362BE K6 SoftFinish® TORX® ball end screwdriver set, 6 pcs.

Hex blade.

Blade: High-quality chrome-molybdenum steel, through-hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For all hard-to-reach TORX® screws.

Extra: The TORX® ball end enables fastening and unfastening at an angle of up to 25°. With elongated TORX® profile behind ball end.

Order-No.	Series		€ /pc.
32249 6	362BE K6	1	39.80
	362BE	T9x60 T10x60 T15x80 T20x80 T25x100 T30x115	

Sets.



362R K6 SO SoftFinish® TORX® MagicSpring® screwdriver set, 6 pcs.

Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	Series		€ /pc.
27746 8	362R K6 SO	1	44.70
	362R	T10x80 T15x80 T20x100 T25x100 T30x115 T40x130	



362 K6 01 SoftFinish® Pozidriv/TORX® screwdriver set, 6 pcs.

Round blades.

Order-No.	Series		€ /pc.
26114 6	362 K6 01	1	35.10
	313	PZ1x80 PZ2x100	
	362	T10x80 T15x80 T20x100 T25x100	



362TR K6 SoftFinish® TORX® Tamper Resistant screwdriver set, 6 pcs.

For TORX® screws with locking pin.

Order-No.	Series		€ /pc.
24506 1	362TR K6	1	42.10
	362TR	T10Hx80 T15Hx80 T20Hx100 T25Hx100 T30Hx115 T40Hx130	