

Data sheet

727-220

4-LEVEL TERMINAL BLOCK FOR MATRIX PATCHING CENTRE MARKING CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION



Technical data

Package size 50 pieces.

Number of levels	4
Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	1.5 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	16 AWG
Number of strands	2
Voltage UL	300 V
Voltage CSA	300 V
Current UL	10 A
Current CSA	10 A
Measured voltage EN	250 V
Measured shock voltage	4 kV
Pollution degree	3
Current intensity EN	12 A
Weight	32.27 g
Color	grey
Wiring type	Front-entry
No. of connection Points	16
No. of potentials	4
Height	44.5 mm
Height	1.75 in
Width	7.62 mm
Width	0.3 in

Data sheet

727-220

4-LEVEL TERMINAL BLOCK FOR MATRIX PATCHING CENTRE MARKING CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION

Depth	126 mm
Depth	4.96 in
Strip length from	8 mm
Strip length to	10 mm
Strip length	0.35 in

xxx-xxx/021-000	0-1-2-3--3-2-1-0
xxx-xxx/022-000	a-b-c-d--d-c-b-a
xxx-xxx/023-000	3-2-1-0--0-1-2-3
xxx-xxx/024-000	d-c-b-a--a-b-c-d

Data sheet

727-220

**4-LEVEL TERMINAL BLOCK FOR MATRIX PATCHING CENTRE MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**

Approval	Voltage	Current	Approval number	Notes
CCA	250	4	DK96-00447	
CSA	300	10	18677-50	
DEMKO	250		120081/02	
RMR	250	4	99.00007.250	
RosTesT	250	4	B09523	
UL	300	10	E45172	

Data sheet

727-220

4-LEVEL TERMINAL BLOCK FOR MATRIX PATCHING CENTRE MARKING CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION

Accessories

Item number

4-LEVEL END PLATE ALPHANUMERIC PRINTING	727-206
4-LEVEL END PLATE ALPHANUMERIC PRINTING	727-208
4-LEVEL END PLATE NUMERIC PRINTING	727-205
4-LEVEL END PLATE NUMERIC PRINTING	727-207
4-LEVEL END PLATE WITHOUT PRINTING	727-217
ALUMINIUM CARRIER RAIL 35 X 7.5 MM, 1.5 MM / 0.059 IN THICK	210-196
CABLE HARNESS HOLDER	249-109
Individual wire jumpers	individual jumper
ISULATION STOP 0.08-0.14 MM ² F-ST / 0.08-0.2 MM ² S	727-197
ISULATION STOP 0.14-0.25 MM ² F-ST / 0.25 MM ² S	727-198
ISULATION STOP 0.25-0.5 MM ² S+F-ST	727-199
Open individual wire jumpers ends	individual jumper open end
OPERATING STICKER FOR CAGE CLAMP, UNIVERSAL	210-416
PIVOTABLE GROUP MARKER CARRIER	249-105
REDUCING TEST PLUG 4 MM SOCKET TO 2 MM PLUG	210-297
SCREWDRIVER Type 1, bar (2,5 x 0,4) mm	210-119
SCREWDRIVER WITH PARTIALLY INSULATED SHAFT Type 1, bar (2,5 x 0,4) mm	210-619
SCREWLESS END STOP 10 MM / 0.394 IN WIDE	249-117
SCREWLESS END STOP 6 MM / 0.236 IN WIDE	249-116
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-112
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-113
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-162
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-229
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-504
STEEL CARRIER RAIL 35 X 7.5 MM, 1 MM / 0.039 IN THICK	210-505
TEST PLUG 2.3 MM / 0.091 IN WIDE	210-137
WIRE COMMONING CHAIN INSULATED	709-107
WMB MULTI MARKING SYSTEM PLAIN	793-501
WMB MULTI MARKING SYSTEM PLAIN	793-5501
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-006
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-005
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-002
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-007
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-012
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-017
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-023
WMB MULTI MARKING SYSTEM PLAIN	793-501/000-024
WSB DOUBLE MARKER CARRIER 4 MM WIDTH	209-128

Data sheet**727-220****4-LEVEL TERMINAL BLOCK FOR MATRIX PATCHING CENTRE MARKING
CARRIER RAIL DIN 35 FRONT-ENTRY CAGE CLAMP CONNECTION**

WSB QUICK MARKING SYSTEM PLAIN	209-501
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-002
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-005
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-006
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-007
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-012
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-017
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-023
WSB QUICK MARKING SYSTEM PLAIN	209-501/000-024