


Item no.: 2081-1126
 Product description: 6 POLE PIN SPACING 3.5 MM / 0.138 IN



Produkt kann von Bild abweichen / product may differ

RoHS compliant

Color	gray
No. of connection Points	6
No. of potentials	6
pole count	6
Height	13.9 mm
Height	0.547 in
Width	21 mm
Width	0.827 in
Depth	9.1 mm
Depth	0.358 in
Pin spacing from	3.5 mm
Pin spacing from	0.138 in
Pollution degree	2
Measured voltage EN	320 V
Measured shock voltage	4 kV
Current intensity EN	17.5 A
Pollution degree	2
Measured voltage EN	630 V
Measured shock voltage	4 kV

Current intensity EN
Connection method
Cross section [mm²]

17.5 A
CAGE CLAMP®S Connection
0.2 - 1.5 mm²



Wiring method	solid
Cross section [mm ²]	0.2 - 1.5 mm ²
Cross section to [mm ²]	0.75 mm ²
Cross section to [mm ²]	1 mm ²
Cross section [AWG]	24 - 16 AWG
Strip length from	8 mm
Strip length to	9 mm
Material group	I
Customs Tariff No.	85369010

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected