

Data sheet

733-110

**FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION**



Technical data

Package size 100 pieces.

Pin spacing from	2.5 mm
Pin spacing from	0.098 in
pole count	10
Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	0.5 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	20 AWG
Voltage CSA	150 V
Measured voltage EN	250 V
Measured shock voltage	2.5 kV
Pollution degree	2
Current intensity EN	4 A
Weight	4.34 g
Color	light grey
No. of connection Points	10
No. of potentials	10
Height	11.8 mm
Height	0.465 in
Width	27.5 mm
Width	1.083 in
Depth	17.1 mm
Depth	0.673 in
Strip length from	5 mm

Data sheet

733-110

**FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION**

Strip length to	6 mm
Strip length	0.22 in

xxx-xxx/033-000	Strain relief plate 12,5 mm
-----------------	-----------------------------

Data sheet

733-110

**FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION**

Approval	Voltage	Current	Approval number	Notes
BV	250	4	11915/A0	
CCA	250	4	2077592.01	
CCA	250	6	DK118979-03	
CCA	250	4	NL5640	
CSM	250	4	017956	
DEMKO	250	4	00-00102	
DNV	250	4	E-6997	
GL	250	4	17296-00HH	
LR	250	6	96/20035	
RMR	250	4	99.00007.250	
RosTesT	250	4	B09523	

Data sheet

733-110

**FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION**

Accessories**Item number**

OPERATING STICKER FOR MULTI CONNECTION SYSTEM

210-199

OPERATING TOOL FOR SERIES 233 AND 733

233-332


STRAIN RELIEF PLATE FOR SERIES 733

733-128

Data sheet

733-110

FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION



Data sheet

733-110

**FEMALE PLUG WITH CODIG FINGERS
PIN SPACING 2.5 MM / 0.098 IN 100% PROTECTED AGAINST MISMATING CAGE
CLAMP CONNECTION**

$L = (\text{No. of poles} \times \text{pin spacing}) + 2,1 \text{ mm}$