


Item no.: 870-540/281-410
 Product description: DOUBLE DECK DIODE TERMINAL BLOCK WITH DIODE 1N4007



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	16 (RAIL MOUNTED TERMINAL BLOCK WITH CCC)
Number of levels	2
Cross section [mm ²]	0.08 - 2.5 mm ²
Cross section [AWG]	28 - 14 AWG
Wiring method	e+f
Connection method	CAGE CLAMP® COMPACT CONNECTION
Cross section [mm ²]	0.08 - 4 mm ²
Cross section [AWG]	28 - 12 AWG
Wiring method	f
Connection method	CAGE CLAMP® COMPACT CONNECTION
Current intensity EN	0.5 A
Nominal voltage	250 V
Reverse voltage	1000 V
Weight	9.5 g
Color	gray
Wiring type	Front-entry
No. of connection Points	4
No. of potentials	1

Height	40 mm
Height	1.57 in
Width	5 mm
Width	0.197 in



Depth	70 mm
Depth	2.76 in
Strip length from	6 mm
Strip length to	7 mm
Strip length	0.26 in
Mounting	TS 35

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected