


Item no.: 260-104  
 Product description: 2-CONDUCTOR TERMINAL STRIP WITH FIXING FLANGE FOR SCREW OR SIMILAR MOUNTING TYPES 3.2 MM Ø MOUNTING ADAPTER AVAILABLE FOR TS 35 (209-123) 4 POLE



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

RoHS compliant

Product group	9 (Std Chassis Mt Blocks)
pole count	4
Cross section [mm <sup>2</sup> ]	0.08 - 1.5 mm <sup>2</sup>
Cross section [AWG]	28 - 16 AWG
Connection method	CAGE CLAMP® CONNECTION
Number of strands	5
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	18 A
Weight	7.52 g
Color	gray
Wiring type	Side-entry
No. of connection Points	8
No. of potentials	4
Height	17 mm
Height	0.669 in

Width	34.5 mm
Width	1.358 in
Depth	25 mm
Depth	0.985 in
Strip length from	8 mm
Strip length to	9 mm
Strip length	0.33 in



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
260-104	ABS	04-HG476174/1-PDA	400	17,5	1,5
260-104	BV	07436/C0	400	17,5	0,08-1,5
260-104	CCA	NL5800	400		1,5
260-104	CSA	18677-45	300	15	24-16
260-104	DNV	E-9215	400	18	1,5
260-104	GL	17295-00HH	400	17,5	1,5
260-104	KEMA	2110272.01	400		1,5
260-104	KR	HMB05880-EL002	400	17,5	1,5
260-104	LR	92/20242(E5)	400	17,5	1,5
260-104	PRS	TE/1718/880590/08	400		1,5
260-104	RMR	11130002	400	17,5	1,5
260-104	UR	E45172	300	10	28-16

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected