



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.





LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	A	REVISED PER ECR-16-006614	10MAY2016	RS	DD		
	A1	REVISED PER ECR-16-008842	22JUN2016	RS	DD		
	A2	REVISED PER ECR-16-010573	26JUL2016	RS	DD		



- NOTES:
- 1 MATERIALS:  
 HOUSING: PBT  
 DIMMING CONTACTS (QTY. 4): COPPER ALLOY  
 LINE VOLTAGE CONTACTS (QTY. 3): COPPER ALLOY  
 GASKET: CROSS-LINKED POLYETHYLENE  
 O-RING: SILICONE RUBBER
  - 2 FINISH:  
 DIMMING CONTACTS: NICKEL UNDERPLATE ENTIRE  
 CONTACT 0.127 µm MIN THICK. SELECTIVE GOLD PLATE CONTACT  
 MATING AREA (MATING FACE SIDE ONLY) 0.76 µm MIN THICK.  
 MATTE TIN PLATE TAB ON BOTH SIDES 0.30 µm MIN THICK.  
 LINE VOLTAGE CONTACTS: MATTE TIN PLATE
  - 3 MATING INTERFACE PER ANSI C136.41-2013.
  - 4 ADHESIVE BACKED GASKET SUPPLIED BUT NOT INSTALLED
  - 5 MATING CAP TE P/N: 2213748-X
  - 6 NOT PRODUCTION TOOLED
  - 7. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.



SCALE 1:1



6	Ø87.00	Ø83.00	Ø76.00	Ø79.00	Ø82.00	Ø86.00	2213730-3
6	Ø81.00	Ø77.00	Ø70.00	Ø73.00	Ø76.00	Ø80.00	2213730-2
	Ø77.00	Ø73.00	Ø66.00	Ø69.00	Ø72.00	Ø76.00	2213730-1
NOTES	DIM Y	DIM X	DIM N	DIM M	DIM F	DIM E	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: C. DAILY 28SEP2015  
 CHK: E. HOWARD 28SEP2015  
 APVD: -

PRODUCT SPEC: 108-32125  
 APPLICATION SPEC: 114-32159  
 WEIGHT: -

**STE** TE Connectivity


NAME: BASE ASSEMBLY, LIGHT CONTROLLER

SIZE: A2 CAGE CODE: - DRAWING NO: C-2213730 RESTRICTED TO: -

CUSTOMER DRAWING SCALE: 2:1 SHEET 1 OF 3 REV: A2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



COMPONENT KEEP OUT AREAS

BOTTOM SIDE TOP SIDE






RECOMMENDED PCB SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 28SEP2015	TE Connectivity	
		CHK E. HOWARD 28SEP2015		
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±3° FINISH -		NAME BASE ASSEMBLY, LIGHT CONTROLLER
MATERIAL		APVD PRODUCT SPEC 108-32125 APPLICATION SPEC 114-32159 WEIGHT -	SIZE A2	RESTRICTED TO -
		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 OF 3 REV A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



MATING CAP DIMENSIONS 5

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 28SEP2015	TE Connectivity	
		CHK E. HOWARD 28SEP2015		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±3° FINISH -		NAME BASE ASSEMBLY, LIGHT CONTROLLER
		PRODUCT SPEC 108-32125 APPLICATION SPEC 114-32159 WEIGHT -	SIZE A2	CAGE CODE - DRAWING NO C-2213730
MATERIAL -		CUSTOMER DRAWING		RESTRICTED TO - SCALE 2:1 SHEET 3 OF 3 REV A2