

## Data sheet | Item number: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

[www.wago.com/258-5000](http://www.wago.com/258-5000)



### Item description

includes:

- Power supply and cable
- USB cable
- 1 x roll of marking strips (2009-110) and WMB Inline markers (2009-115) each
- 2 x roller (258-5006 + 258-5007)
- 1 x reel holder
- 1 x ink ribbon (258-5005)
- Smart Script marking software and driver

### Data

#### System requirements

Memory	4 GB
Supported operating systems	Windows 7 Windows 8

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Windows 10

**Technical data**

Printing method	Thermal transfer
Print head	Glass layer, spring-mounted
Print resolution	300 dpi
Print resolution	300 dpi (12 pixels/mm)
Print speed (max.)	max. 127 mm/s (WAGO recommends 50.8 mm/s)
Print width	47 mm
Print length (max.)	762 mm
See-through/reflective sensor	yes, centrally fixed
Memory	8 MB
Interfaces	USB, RS-232, ETHERNET 10/100 Mbps
Operating voltage	100 ... 240 VAC, 50 ... 60 Hz (automatic adjustment)
Safety approvals	CE (EMC)
Operating display	Color TFT LCD with navigation button
Ink ribbon	Reel outside diameter: 40 mm; core inside diameter 12.7 mm (0.5 inch); max. length 110 m; max. width 58 mm
Scope of delivery	external unwinder, power supply + cable, USB cable, 2 empty cardboard roller cores

**Physical data**

Height	175 mm / 6.89 inch
Width	135 mm / 5.315 inch
Depth	245 mm / 9.646 inch

**Material data**

Weight	3840 g
--------	--------

**Environmental requirements**

Surrounding air temperature (storage)	-20 ... 50 °C
Surrounding air temperature (operation)	5 ... 40 °C

**Commercial data**

Product Group	14 (Tools)
Packaging type	Karton
Country of origin	TW

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.


GTIN	4050821520993
Customs tariff number	84433210000

## Approvals / Certificates

### Ex-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCC CQC	-	2020010904320138

### UL-Approvals

















Logo	Approval	Additional Approval Text	Certificate name
	UL Underwriters Laboratories Inc.	UL 60950-1	E482462

## Optional accessories



















### Marking accessories

*	<b>Item no.: 2009-110</b> Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/2009-110">www.wago.com/2009-110</a>
*	<b>Item no.: 2009-113</b> WMB-Inline; for Smart Printer; 2300 pieces on roll; plain; snap-on type; white	<a href="http://www.wago.com/2009-113">www.wago.com/2009-113</a>
*	<b>Item no.: 2009-114</b> WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-114">www.wago.com/2009-114</a>
*	<b>Item no.: 2009-115</b> WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-115">www.wago.com/2009-115</a>
/	<b>Item no.: 2009-145</b> Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>
/	<b>Item no.: 2009-515</b> WMB-Inline; for Smart Printer; 900 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-515">www.wago.com/2009-515</a>
/	<b>Item no.: 2009-615</b> WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; white	<a href="http://www.wago.com/2009-615">www.wago.com/2009-615</a>
*	<b>Item no.: 210-702</b> Marking strips; for Smart Printer; permanent adhesive; 15 mm; white	<a href="http://www.wago.com/210-702">www.wago.com/210-702</a>
*	<b>Item no.: 210-801</b> Type labels; 70 x 33 mm; white	<a href="http://www.wago.com/210-801">www.wago.com/210-801</a>














Subject to changes. Please also observe the further product documentation!

	<b>Item no.: 210-802</b> Type labels; 70 x 33 mm; silver-colored	<a href="http://www.wago.com/210-802">www.wago.com/210-802</a>
	<b>Item no.: 210-803</b> Type labels; 99 x 44 mm; white	<a href="http://www.wago.com/210-803">www.wago.com/210-803</a>
	<b>Item no.: 210-804</b> Type labels; 99 x 44 mm; silver-colored	<a href="http://www.wago.com/210-804">www.wago.com/210-804</a>
	<b>Item no.: 210-805</b> Labels; for Smart Printer; permanent adhesive; 6 x 15 mm; white	<a href="http://www.wago.com/210-805">www.wago.com/210-805</a>
	<b>Item no.: 210-806</b> Labels; for Smart Printer; permanent adhesive; 9 x 15 mm; white	<a href="http://www.wago.com/210-806">www.wago.com/210-806</a>
	<b>Item no.: 210-807</b> Labels; for Smart Printer; permanent adhesive; 8 x 20 mm; white	<a href="http://www.wago.com/210-807">www.wago.com/210-807</a>
	<b>Item no.: 210-808</b> Labels; for Smart Printer; 9.5 x 25 mm; white	<a href="http://www.wago.com/210-808">www.wago.com/210-808</a>
	<b>Item no.: 210-810</b> Labels; for Smart Printer; 5 x 35 mm; white	<a href="http://www.wago.com/210-810">www.wago.com/210-810</a>
	<b>Item no.: 210-811</b> Textile labels; for Smart Printer; permanent adhesive; 7 x 20 mm; white	<a href="http://www.wago.com/210-811">www.wago.com/210-811</a>
	<b>Item no.: 210-812</b> Type labels; 50 x 25 mm; silver-colored	<a href="http://www.wago.com/210-812">www.wago.com/210-812</a>
	<b>Item no.: 210-813</b> Labels; for Smart Printer; permanent adhesive; 40 mm; white	<a href="http://www.wago.com/210-813">www.wago.com/210-813</a>
	<b>Item no.: 210-831</b> Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive; white	<a href="http://www.wago.com/210-831">www.wago.com/210-831</a>
	<b>Item no.: 210-832</b> Marking strips; on reel; 3 mm wide; plain; Self-adhesive; white	<a href="http://www.wago.com/210-832">www.wago.com/210-832</a>
	<b>Item no.: 210-833</b> Marking strips; on reel; 6 mm wide; plain; Self-adhesive; white	<a href="http://www.wago.com/210-833">www.wago.com/210-833</a>
	<b>Item no.: 210-834</b> Marking strips; on reel; 5 mm wide; plain; Self-adhesive; white	<a href="http://www.wago.com/210-834">www.wago.com/210-834</a>
	<b>Item no.: 210-847</b> Push-button marker; 22 x 22 mm; silver-colored	<a href="http://www.wago.com/210-847">www.wago.com/210-847</a>
	<b>Item no.: 210-848</b> Push-button marker; 27 x 27 mm; silver-colored	<a href="http://www.wago.com/210-848">www.wago.com/210-848</a>
	<b>Item no.: 210-850</b> Push-button marker; 26.5 x 18 mm; silver-colored	<a href="http://www.wago.com/210-850">www.wago.com/210-850</a>
	<b>Item no.: 210-852</b>	

Subject to changes. Please also observe the further product documentation!

	Push-button marker; 27 x 19 mm; silver-colored	<a href="http://www.wago.com/210-852">www.wago.com/210-852</a>
	<b>Item no.: 210-854</b> Push-button marker; 28 x 28 mm; silver-colored	<a href="http://www.wago.com/210-854">www.wago.com/210-854</a>
	<b>Item no.: 210-855</b> Push-button marker; 27 x 18 mm; silver-colored	<a href="http://www.wago.com/210-855">www.wago.com/210-855</a>
	<b>Item no.: 210-856</b> Push-button marker; 27.5 x 17.5 mm; silver-colored	<a href="http://www.wago.com/210-856">www.wago.com/210-856</a>
	<b>Item no.: 210-858</b> Push-button marker; 22 x 22 mm; silver-colored	<a href="http://www.wago.com/210-858">www.wago.com/210-858</a>
	<b>Item no.: 210-860</b> Push-button marker; 27 x 27 mm; silver-colored	<a href="http://www.wago.com/210-860">www.wago.com/210-860</a>
	<b>Item no.: 210-862</b> Push-button marker; 27 x 12.5 mm; silver-colored	<a href="http://www.wago.com/210-862">www.wago.com/210-862</a>
	<b>Item no.: 210-870</b> Marking strips; for Smart Printer; permanent adhesive; 10 mm; white	<a href="http://www.wago.com/210-870">www.wago.com/210-870</a>
	<b>Item no.: 210-871</b> Marking strips; for Smart Printer; permanent adhesive; 10 mm; silver-colored	<a href="http://www.wago.com/210-871">www.wago.com/210-871</a>
	<b>Item no.: 210-872</b> Marking strips; for Smart Printer; permanent adhesive; 20 mm; white	<a href="http://www.wago.com/210-872">www.wago.com/210-872</a>
	<b>Item no.: 210-873</b> Marking strips; for Smart Printer; permanent adhesive; 20 mm; silver-colored	<a href="http://www.wago.com/210-873">www.wago.com/210-873</a>
	<b>Item no.: 210-874</b> Marking strips; for Smart Printer; permanent adhesive; 30 mm; white	<a href="http://www.wago.com/210-874">www.wago.com/210-874</a>
	<b>Item no.: 210-875</b> Marking strips; for Smart Printer; permanent adhesive; 30 mm; silver-colored	<a href="http://www.wago.com/210-875">www.wago.com/210-875</a>
	<b>Item no.: 210-876</b> Marking strips; for Smart Printer; permanent adhesive; 46 mm; white	<a href="http://www.wago.com/210-876">www.wago.com/210-876</a>
	<b>Item no.: 210-877</b> Marking strips; for Smart Printer; permanent adhesive; 46 mm; silver-colored	<a href="http://www.wago.com/210-877">www.wago.com/210-877</a>
	<b>Item no.: 211-500</b> Shrink tube; for Smart Printer; Unshrunk diameter: 2.4 mm; white	<a href="http://www.wago.com/211-500">www.wago.com/211-500</a>
	<b>Item no.: 211-501</b> Shrink tube; for Smart Printer; Unshrunk diameter: 3.2 mm; white	<a href="http://www.wago.com/211-501">www.wago.com/211-501</a>
	<b>Item no.: 211-502</b> Shrink tube; for Smart Printer; Unshrunk diameter: 4.8 mm; white	<a href="http://www.wago.com/211-502">www.wago.com/211-502</a>
	<b>Item no.: 211-503</b>	









Subject to changes. Please also observe the further product documentation!

	Shrink tube; for Smart Printer; Unshrunk diameter: 6.4 mm; white	<a href="http://www.wago.com/211-503">www.wago.com/211-503</a>
	<b>Item no.: 211-504</b> Shrink tube; for Smart Printer; Unshrunk diameter: 9.5 mm; white	<a href="http://www.wago.com/211-504">www.wago.com/211-504</a>
	<b>Item no.: 211-505</b> Shrink tube; for Smart Printer; Unshrunk diameter: 12.7 mm; white	<a href="http://www.wago.com/211-505">www.wago.com/211-505</a>
	<b>Item no.: 211-506</b> Shrink tube; for Smart Printer; Unshrunk diameter: 19.0 mm; white	<a href="http://www.wago.com/211-506">www.wago.com/211-506</a>
	<b>Item no.: 211-811</b> Marker card; for Smart Printer; for use in nozzles; Length: 12 mm; white	<a href="http://www.wago.com/211-811">www.wago.com/211-811</a>
	<b>Item no.: 211-821</b> Marker card; for Smart Printer; for use in nozzles; Length: 23 mm; white	<a href="http://www.wago.com/211-821">www.wago.com/211-821</a>
	<b>Item no.: 211-835</b> Cable tie marker; for Smart Printer; for use with cable ties; 25 x 10 mm; white	<a href="http://www.wago.com/211-835">www.wago.com/211-835</a>
	<b>Item no.: 211-836</b> Cable tie marker; for Smart Printer; for use with cable ties; 100 x 15mm; white	<a href="http://www.wago.com/211-836">www.wago.com/211-836</a>
	<b>Item no.: 211-855</b> Self-laminating labels; for Smart Printer; 9 x 18 mm; white	<a href="http://www.wago.com/211-855">www.wago.com/211-855</a>
	<b>Item no.: 211-856</b> Self-laminating labels; for Smart Printer; 15 x 22 mm; white	<a href="http://www.wago.com/211-856">www.wago.com/211-856</a>
	<b>Item no.: 211-857</b> Self-laminating labels; for Smart Printer; 18 x 44 mm; white	<a href="http://www.wago.com/211-857">www.wago.com/211-857</a>
	<b>Item no.: 211-861</b> Conductor markers for thread-on mounting; for Smart Printer; 5 x 10.5 mm; white	<a href="http://www.wago.com/211-861">www.wago.com/211-861</a>
	<b>Item no.: 211-862</b> Conductor markers for thread-on mounting; for Smart Printer; 7 x 10.5 mm; white	<a href="http://www.wago.com/211-862">www.wago.com/211-862</a>
	<b>Item no.: 211-863</b> Conductor markers for thread-on mounting; for Smart Printer; 10 x 17 mm; white	<a href="http://www.wago.com/211-863">www.wago.com/211-863</a>
	<b>Item no.: 709-178</b> Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; white	<a href="http://www.wago.com/709-178">www.wago.com/709-178</a>
<b>Accessory for marking devices</b>		
	<b>Item no.: 258-5005</b> Thermal transfer ink ribbon; for Smart Printer; black	<a href="http://www.wago.com/258-5005">www.wago.com/258-5005</a>
	<b>Item no.: 258-5005/000-005</b> Thermal transfer ink ribbon; for Smart Printer; red	<a href="http://www.wago.com/258-5005/000-005">www.wago.com/258-5005/000-005</a>
	<b>Item no.: 258-5006</b> Roller; for Smart Printer; for marking strips, device and equipment markers, conductor and cable	<a href="http://www.wago.com/258-5006">www.wago.com/258-5006</a>

Subject to changes. Please also observe the further product documentation!



markers

	<b>Item no.: 258-5007</b> Roller; for Smart Printer; for WMB-Inline WAGO (2009-115, -114, -113); 1 grinding device	<a href="http://www.wago.com/258-5007">www.wago.com/258-5007</a>
	<b>Item no.: 258-5008</b> Roller; for Smart Printer; for Mini-WSB Inline WAGO (2009-145); 1 grinding device	<a href="http://www.wago.com/258-5008">www.wago.com/258-5008</a>
	<b>Item no.: 258-5009</b> Roller; for Smart Printer; for WMB-Inline Phoenix (2009-515); 1 grinding device	<a href="http://www.wago.com/258-5009">www.wago.com/258-5009</a>
	<b>Item no.: 258-5010</b> Roller; for Smart Printer; for WMB-Inline Weidmüller (2009-615); 1 grinding device	<a href="http://www.wago.com/258-5010">www.wago.com/258-5010</a>
	<b>Item no.: 258-5011</b> Roller; for Smart Printer; for Micro WSB Inline roller (2009-141); 1 grinding device	<a href="http://www.wago.com/258-5011">www.wago.com/258-5011</a>
	<b>Item no.: 258-5014</b> Thermal transfer ink ribbon; for Smart Printer; for self-laminating labels; black	<a href="http://www.wago.com/258-5014">www.wago.com/258-5014</a>
	<b>Item no.: 258-5015</b> Carrying case; white	<a href="http://www.wago.com/258-5015">www.wago.com/258-5015</a>
	<b>Item no.: 258-5030</b> Cutter; for Smart Printer; for marking strips, equipment markers, conductor and cable markers; Durable; High accuracy	<a href="http://www.wago.com/258-5030">www.wago.com/258-5030</a>

## Downloads

### Documentation

#### Manual

smartPRINTER operating instructions	003.10.2017 25. 9. 2020	pdf 3.2 MB	Download
WAGO Smart Script Benutzerhandbuch	1 3. 3. 2020	pdf 3.6 MB	Download

#### Operating Instructions

211-502 Information on printing material	1 28. 8. 2020	pdf 1.1 MB	Download
211-821 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
2009-145 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
210-811 Handhabungshinweis zum Druckmaterial	1 28. 8. 2020	pdf 1.4 MB	Download

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



210-813 Information on handling print material	1 28. 8. 2020	pdf 1.4 MB	Download
211-856 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
211-836 Information on printing material	1 28. 8. 2020	pdf 1.5 MB	Download
210-831 Information on handling print material	1 28. 8. 2020	pdf 1.2 MB	Download
2009-110 Information on printing material	1 28. 8. 2020	pdf 1.2 MB	Download
211-835 Information on printing material	1 28. 8. 2020	pdf 1.4 MB	Download
210-852 Information on handling print material	1 28. 8. 2020	pdf 1.0 MB	Download
2009-615 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
210-804 Information on handling print material	1 28. 8. 2020	pdf 1.4 MB	Download
210-805 Information on handling print material	1 28. 8. 2020	pdf 1.3 MB	Download
2009-515 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
211-861 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
2009-115 Information on printing material	1 28. 8. 2020	pdf 1.3 MB	Download
<b>Additional Information</b>			
Overview software versions	1 22. 2. 2021	pdf 733.7 kB	Download
Instructions external unwinder	001.12.2016 8. 9. 2020	pdf 1.0 MB	Download

Subject to changes. Please also observe the further product documentation!





Allocation roller printing material	001.12.2016 10. 9. 2020	pdf 143.3 kB	Download
FAQ fault description and troubleshooting	002.07.2017 27. 4. 2020	pdf 83.9 kB	Download
Smart Printer accessories	30.01.2017 30. 6. 2019	pdf 873.7 kB	Download
IT infrastructure requirements	002.09.2017 15. 8. 2019	pdf 36.6 kB	Download
Cutting Unit V2	1 27. 4. 2020	pdf 620.4 kB	Download

## Software Solutions (Applications)

### Smart Script 4.x Marking Software

Smart Script 4.x Marking Software	4.7.2 17. 6. 2021	zip 109.0 MB	Download
-----------------------------------	----------------------	-----------------	----------

Use the new Smart Script 4.x marking software to easily create and print custom marking strips, markers and labels for any WAGO component. This software version is tailored to our Smart Printer thermal transfer printer and comes with all the drivers and settings you need with this printer.

#### Overview of Features:

- Modern design and intuitive use
- Fast and easy to use, with all applications such as printer drivers and settings integrated.
- Ideal for professional marking of terminal blocks, labels, type plates and conductor markers
- Optimized data interfaces for Smart Designer configuration software, EPLAN, Microsoft Excel, CSV

#### Supported operating systems:

- Windows 10, Windows 8, Windows 7 64 Bit

#### System requirements:

- 3 Gigahertz (GHz) or faster, 64-bit (x64) processor
- 4 GB RAM, recommended 8 GB
- 400 MB available storage space on hard drive
- Screen resolution of 1360 x 864 or higher (100 % scaling)
- Smart Printer Firmware starting from Version 1.UW7v

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



### SmartScript 3.9 Marking Software

Smart Script 3.9 Marking Software

3.9

ZIP

Download

10. 7. 2019

47.2 MB

Use the Smart Script 3.9 marking software to easily create and print marking strips, markers and labels for any WAGO component.  
You may need the current driver (Smart Printer Driver) and the easy-to-use "Printer Setting Tool" to use the Smart Printer thermal transfer printer.

NOTE: Version 3.9.0.0 can only be used together with the Smart Printer thermal transfer printer and resolves the font width issue for Windows 10 Version 1809.

Supported operating systems:

- Windows 10, Windows 8, Windows 7 64 Bit

System requirements:

- 3 Gigahertz (GHz) or faster, 64-bit (x64) processor
- 4 GB RAM, recommended 8 GB
- 400 MB available storage space on hard drive
- Screen resolution of 1360 x 864 or higher
- Smart Printer Firmware starting from version 1.UW7q

---

### Smart Script 3.8 Marking Software

Smart Script 3.8 Marking Software

3.88.23.4

ZIP

Download

10. 7. 2019

47.5 MB

Use the Smart Script 3.8 marking software to easily create and print marking strips, markers and labels for any WAGO component.  
You may need the current driver (Smart Printer Driver) and the easy-to-use "Printer Setting Tool" to use the Smart Printer thermal transfer printer.

NOTE: Version 3.88.23.4 supports the WAGO Plotter, WAGO Engraver and standard A4 printers.

Supported operating systems:

- Windows 10, Windows 8, Windows 7 64 Bit

System requirements:

- 3 Gigahertz (GHz) or faster, 64-bit (x64) processor
- 4 GB RAM, recommended 8 GB
- 400 MB available storage space on hard drive
- Screen resolution of 1360 x 864 or higher
- Smart Printer Firmware starting from version 1.UW7q

---

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



### Installation Package 3.9 Smart Printer

Installation Package 3.9 Smart Printer	3.9	ZIP	Download
Installation package for the Smart Printer thermal transfer printer:	10. 7. 2019	69.8 MB	

- Smart Script 3.9 marking software
- Smart Printer driver
- Printer setting tool

Use the Smart Script 3.9 marking software to easily create and print marking strips, markers and labels for any WAGO component. You may need the current driver (Smart Printer Driver) and the easy-to-use "Printer Setting Tool" to use the Smart Printer thermal transfer printer.

NOTE: Version 3.9.0.0 can only be used together with the Smart Printer thermal transfer printer and resolves the font width issue for Windows 10 Version 1809.

Supported operating systems:

- Windows 10, Windows 8, Windows 7 64 Bit

System requirements:

- 3 Gigahertz (GHz) or faster, 64-bit (x64) processor
- 4 GB RAM, recommended 8 GB
- 400 MB available storage space on hard drive
- Screen resolution of 1360 x 864 or higher
- Smart Printer Firmware starting from version 1.UW7q

---

### Installation Package 3.8 Smart Printer

Installation Package 3.8 Smart Printer	3.8	ZIP	Download
Installation package for the Smart Printer thermal transfer printer:	10. 7. 2019	70.1 MB	

- Smart Script 3.8 marking software
- Smart Printer driver
- Printer setting tool

Use the Smart Script 3.8 marking software to easily create and print marking strips, markers and labels for any WAGO component. You may need the current driver (Smart Printer Driver) and the easy-to-use "Printer Setting Tool" to use the Smart Printer thermal transfer printer.

NOTE: Version 3.88.23.4 supports the WAGO Plotter, WAGO Engraver and standard A4 printers.

Supported operating systems:

Subject to changes. Please also observe the further product documentation!



- Windows 10, Windows 8, Windows 7 64 Bit

System requirements:

- 3 Gigahertz (GHz) or faster, 64-bit (x64) processor
- 4 GB RAM, recommended 8 GB
- 400 MB available storage space on hard drive
- Screen resolution of 1360 x 864 or higher
- Smart Printer Firmware starting from version 1.UW7q

**Device Files**

**additional software**

WAGO Smart Label	2.5 25. 10. 2017	zip 37.6 MB	Download
WAGO Firmware for Thermotransferdrucker Smart Printer Necessary for Smart Script 4.x	V1.UW7v 24. 6. 2020	zip 3.9 MB	Download
WAGO-EPLAN-Interface 64Bit The new interface for EPLAN Electric P8 incl. ProPanel (from version 2.5) from WAGO as plug-in for more efficiency in digital engineering.	1.4.2.0 29. 10. 2020	zip 1.4 MB	Download
<p>The advantages: Continuity along the value chain Reuse of data without media disruption time and cost savings</p> <p>The properties of the EPLAN interface: Automatic terminal strip layout from the circuit diagram or installation space navigator of EPLAN in the WAGO Smart Designer Automated terminal block labeling, plausibility check, automatic completion of missing components and ordering options in Smart Designer Reimport from Smart Designer to EPLAN for a complete bill of materials in the CAE tool Automated terminal labeling and direct printing from EPLAN</p>			
WAGO GoDoctor	1.005	zip 810.4 kB	Download

Subject to changes. Please also observe the further product documentation!



## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 258-5000

URL

Download

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.