



THIS DOCUMENT IS THE PROPERTY OF
KEYSTONE ELECTRONICS CORP. AND
SHALL NOT BE REPRODUCED, DISTRIBUTED
OR USED AS A BASIS FOR MANUFACTURE
WITHOUT PRIOR WRITTEN PERMISSION
FROM KEYSTONE ELECTRONICS CORP.

4-40 THREAD STANDOFF ENGINEERING KIT CAT. NO. STR-440				
HEX. = .250 [6.35]	Threaded Female		Threaded Male/Female	
	Aluminum	Nylon	Aluminum	Nylon
Length	Cat. No.	Cat. No.	Cat. No.	Cat. No.
.250 [6.35]	2201	1902A	8714	4800
.500 [12.70]	2203	1902C	8401	4802
.750 [19.05]	2204	1902D	8403	4804
1.00 [25.40]	2205	1902E	8405	4806
Cat. No. 9900 4-40 x 1/4" Phillips Drive Machine Screw				



6-32 THREAD STANDOFF ENGINEERING KIT CAT. NO. STR-632				
HEX. = .250 [6.35]	Threaded Female		Threaded Male/Female	
	Aluminum	Nylon	Aluminum	Nylon
Length	Cat. No.	Cat. No.	Cat. No.	Cat. No.
.250 [6.35]	2208	1903A	8717	4814
.500 [12.70]	2210	1903C	8414	4816
.750 [19.05]	2211	1903D	8416	4818
1.00 [25.40]	2212	1903E	8418	4820
Cat. No. 9903 6-32 x 1/4" Phillips Drive Machine Screw				

8-32 THREAD STANDOFF ENGINEERING KIT CAT. NO. STR-832				
HEX. = .250 [6.35]	Threaded Female		Threaded Male/Female	
	Aluminum	Nylon	Aluminum	Nylon
Length	Cat. No.	Cat. No.	Cat. No.	Cat. No.
.375 [9.53]	2216	1904B	8426	4829
.500 [12.70]	2217	1904C	8427	4830
.750 [19.05]	2218	1904D	8429	4832
1.00 [25.40]	2219	1904E	8431	4834
Cat. No. 9906 8-32 x 3/8" Phillips Drive Machine Screw				

NOTES:

1. A KIT HAS 25 PIECES OF EACH CAT.NO. FOR A TOTAL QUANTITY OF 425 PIECES AND IS HOUSED IN A 16 TRAY, LABELED ENCLOSURE.
2. MAT'L - ALUMINUM, CLEAR IRIDITE
MAT'L - NYLON 6/6
3. DRAWS WILL BE ASSEMBLED WITH PLASTIC DIVIDER INSTALLED AND PRODUCT PLACED IN THE FRONT PORTION OF EACH DRAW.
4. SCREWS TO BE PLACED IN THE BACK PORTION OF THE UPPER LEFT MOST DRAW BEHIND THE 1/4" OR 3/8" L. ALUMINUM STANDOFFS.

KEYSTONE ELECTRONICS CORP.			
ASTORIA, N.Y. 11105-2017			
PART NAME .250 HEX. STANDOFF HARDWARE KITS			
MATERIAL AS NOTED			
FINISH AS NOTED		DRN BY BOONE	DATE 11.18.05
		APP'D LN	SCALE -
TOLERANCES INCH [MM] DECIMAL ± [±] ANGULAR ± UNLESS OTHERWISE SPECIFIED		CODE C/M	DWG NO. STR-

DATE	DESCRIPTION	REV.