

Wiha PicoFinish.

The Comfortable Precision Screwdriver.



Colour-coded drive symbols on the rotating cap for easy recognition of the individual screwdrivers.

The two differently-shaped, multi-component handles have been modified to match the size of the screwdrivers.

The PicoFinish is distinguished by top-quality materials and an ergonomic handle design. The comfortable precision screwdriver with multi-component handle, rapid rotating zone and easy-movement rotating cap is a professional tool for all precision work for confined screw applications. To make things even easier for the user working with tiny screws, we've developed a second, smaller handle. The colour-coded marking of the drive symbol on the rotating cap is also new. This makes it easier to recognise the individual screwdrivers when several are being used at once.



The easy-movement rotating cap protects the palm of the hand.

The blades are made of top-quality chrome-vanadium-molybdenum steel to ensure a particularly long tool life. They are subsequently through-hardened in a controlled process and chrome-plated. The precise ChromTop® tip ensures a secure hold in the screw head.



The Wiha PicoFinish features a durable chrome-vanadium-molybdenum blade.



Wiha PicoFinish:

- Ergonomic handle design with soft zone for comfortable work
- Easy-movement rotating cap for rapid hand action
- Colour-coded marking of the drive symbol for easy identification
- Through-hardened, chrome-plated blade made of chrome-vanadium-molybdenum steel for a long tool life
- Wiha ChromTop® tip guarantees a secure hold in the screw head
- Ideal for all fine, filigree applications in electronics and precision-mechanics applications, as well as for DIY and model-building

For Slotted Screws.



260P PicoFinish Slotted Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⌀	↔	⊖	●	↔	↕	↔	£
00475 0	0.8	40	0.16	2.0	134	9	10	5.04
00476 7	1.0	40	0.18	2.0	134	9	10	4.54
00477 4	1.2	40	0.2	2.0	134	9	10	3.95
00478 1	1.5	40	0.25	2.0	134	9	10	3.57
00479 8	1.5	60	0.25	2.0	154	9	10	3.61
00480 4	1.8	40	0.3	2.0	134	9	10	3.53
00481 1	1.8	60	0.3	2.0	154	9	10	3.57
00482 8	2.0	40	0.4	2.0	140	18	10	2.94
00484 2	2.0	60	0.4	2.0	160	18	10	3.11
00485 9	2.0	100	0.4	2.0	200	18	10	3.32
00486 6	2.5	50	0.4	2.5	150	18	10	2.81
00487 3	2.5	75	0.4	2.5	175	18	10	2.94
00488 0	2.5	100	0.4	2.5	200	18	10	3.11
00490 3	3.0	50	0.5	3.0	150	18	10	2.69
00492 7	3.0	100	0.5	3.0	200	18	10	3.23
00493 4	3.0	150	0.5	3.0	250	18	10	3.36
00495 8	3.5	60	0.6	3.5	160	18	10	3.11
00497 2	4.0	60	0.8	4.0	160	18	10	3.32
00498 9	4.0	100	0.8	4.0	200	18	10	3.53
00499 6	4.0	150	0.8	4.0	250	18	10	3.65

For Phillips and Pozidriv Screws.



261P PicoFinish Phillips Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	↔	●	↔	↕	↔	£
00513 9	PH000	40	2,0	134	9	10	5.63
00512 2	PH00	40	2,0	134	9	10	3.99
00514 6	PH00	60	2,0	134	9	10	4.37
00511 5	PH0	50	3,0	150	18	10	3.11
00515 3	PH0	75	3,0	175	18	10	3.49
00516 0	PH1	60	4,0	160	18	10	3.65
00517 7	PH1	80	4,0	180	18	10	3.82
00518 4	PH1	150	4,0	250	18	10	4.45



262P PicoFinish Pozidriv Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	↔	●	↔	↕	↔	£
04461 9	PZ0	50	3.0	150	18	10	3.36
04462 6	PZ1	60	4.0	160	18	10	3.99

Wiha PicoFinish.

The Comfortable Precision Screwdriver.

For TORX® Screws.



267P PicoFinish TORX® Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	↔	●	↔	↔	↔	£
25673 9	T1	40	2.5	134	9	10	6.47
25674 6	T2	40	2.5	134	9	10	6.47
20122 7	T3	40	2.5	134	9	10	6.47
20123 4	T4	40	2.5	134	9	10	6.47
00566 5	T5	40	2.5	134	9	10	5.88
00567 2	T6	40	2.5	140	18	10	4.45
00568 9	T7	40	2.5	140	18	10	4.45
00569 6	T8	40	2.5	140	18	10	4.45
00570 2	T9	50	3.0	150	18	10	4.54
00571 9	T10	50	3.0	150	18	10	4.54
00572 6	T15	60	3.5	160	18	10	4.79
00573 3	T20	60	4.0	160	18	10	4.79

For TORX PLUS® Screws.



267PIP PicoFinish TORX PLUS® Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	↔	●	↔	↔	↔	£
29100 6	4IP	40	2.5	134	9	10	8.06
29101 3	5IP	40	2.5	134	9	10	8.06
29102 0	6IP	40	2.5	140	18	10	5.54
29103 7	7IP	40	2.5	140	18	10	5.54
29104 4	8IP	40	2.5	140	18	10	5.54
29105 1	9IP	50	3.0	150	18	10	5.63
29106 8	10IP	50	3.0	150	18	10	5.63
29107 5	15IP	60	3.5	160	18	10	5.88
29108 2	20IP	60	4.0	160	18	10	5.88



267PR PicoFinish TORX® MagicSpring® Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Retaining Spring holds TORX® Screws in Place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	⊕	↔	●	↔	↔	↔	£
27729 1	T6	40	2.5	140	18	10	5.71
27730 7	T7	40	2.5	140	18	10	5.71
27731 4	T8	40	2.5	140	18	10	5.88
27732 1	T9	50	3.0	150	18	10	5.88
27733 8	T10	50	3.0	150	18	10	5.88
27734 5	T15	60	3.5	160	18	10	6.13

Wiha Info

TORX® MagicSpring®.

Simply ingenious - the TORX® MagicSpring® screwdriver from Wiha. Because of the "MagicSpring®" retaining spring made of stainless steel, TORX® screws are held securely in place. An innovation, which will convince each user.

For Hex Socket Screws.



263P PicoFinish Hex Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Hex	Cap	Hex	Hex	Hex	Hex	£
00519 1	0.7	40	0.028	134	9	10	4.12
00520 7	0.9	40	0.035	134	9	10	3.95
00521 4	1.3	40	0.05	134	9	10	3.49
00522 1	1.5	50	-	144	9	10	3.36
00523 8	2.0	50	5/64	150	18	10	2.94
00524 5	2.5	60	-	160	18	10	2.94
00525 2	3.0	60	-	160	18	10	2.81

263P Zoll PicoFinish Hex Screwdriver. Inch Sizes.

Handle with Rotating Cap and Rapid-turning Zone.

Order-No.	Hex	Cap	Hex	Hex	Hex	£
00526 9	1/16	50	144	9	10	2.94
00528 3	3/32	60	160	18	10	2.94
00530 6	7/64	60	160	18	10	2.94
00527 6	1/8	60	160	18	10	2.94



264P PicoFinish Ballpoint Hex Screwdriver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.
 Extra: The ballpoint enables the user to work at angles up to 25°.

Order-No.	Hex	Cap	Hex	Hex	Hex	Hex	£
00531 5	1.3	40	134	0.05	9	10	5.29
00532 0	1.5	50	150	-	18	10	4.87
00533 7	2.0	50	150	-	18	10	4.45
00534 4	2.5	60	160	-	18	10	4.03
00535 1	3.0	60	160	-	18	10	3.95

264P Zoll PicoFinish Ballpoint Hex Screwdriver. Inch Sizes.

Handle with Rotating Cap and Rapid-turning Zone.

Order-No.	Hex	Cap	Hex	Hex	Hex	£
00537 5	1/16	50	150	18	10	5.29
00541 2	5/64	50	150	18	10	4.45
00539 9	3/32	50	150	18	10	4.45
00542 9	7/64	60	160	18	10	4.37
00538 2	1/8	60	160	18	10	4.28
00543 6	9/64	60	160	18	10	4.28
00540 5	5/32	60	160	18	10	4.28

For Hex Nuts. Chip Lifter.



265P PicoFinish Hex Nut Driver.

Handle with Rotating Cap and Rapid-turning Zone.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Hex	Cap	Hex	Hex	Hex	Hex	Hex	£
00544 3	1.5	60	2.5	3.0	160	18	10	6.97
00545 0	1.8	60	2.9	3.5	160	18	10	6.64
00546 7	2	60	3.2	4.0	160	18	10	6.55
00547 4	2.5	60	4.0	4.0	160	18	10	5.80
00548 1	3	60	5.0	5.0	160	18	10	5.80
00549 8	3.2	60	5.0	5.0	160	18	10	5.80
00550 4	3.5	60	5.3	6.0	160	18	10	6.13
00551 1	4	60	5.5	6.0	160	18	10	6.13
00552 8	4.5	60	6.2	7.0	160	18	10	6.30
00553 5	5	60	6.8	7.0	160	18	10	6.30
00554 2	5.5	60	7.6	8.0	160	18	10	6.30
00555 9	6	60	8.2	9.0	160	18	10	6.30
00556 6	7	60	9.6	10.0	160	18	10	6.55

265P Zoll PicoFinish Hex Nut Driver. Inch Sizes.

Handle with Rotating Cap and Rapid-turning Zone.

Order-No.	Hex	Cap	Hex	Hex	Hex	mm	Hex	£
00561 0	3/32	60	160	18	2.38	10	6.38	
00564 1	7/64	60	160	18	2.78	10	6.38	
00559 7	1/8	60	160	18	3.18	10	6.38	
00565 8	9/64	60	160	18	3.57	10	6.38	
00562 7	5/32	60	160	18	3.97	10	6.64	
00560 3	3/16	60	160	18	4.76	10	6.80	
00563 4	7/32	60	160	18	5.56	10	6.89	
00558 0	1/4	60	160	18	6.35	10	6.89	



26810P PicoFinish Chip Lifter.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: For lifting tight parts on circuit boards.

Order-No.	Hex	Hex	Hex	Hex	Hex	£	
00574 0	1	3.5	50	150	18	5	5.88

Wiha PicoFinish.

The Comfortable Precision Screwdriver.

Slotted/ Phillips Sets.



260P K6 PicoFinish Slotted/Phillips Screwdriver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					£
00503 0	260P K6				1	19.99
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50			

TORX® Sets.



267P K6M PicoFinish TORX® Screwdriver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Profi set for mobile phones and electrical devices.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				£	
24002 8	267P K6M				1	28.06
⚙	267P	T4x40	T5x40	T6x40		
		T7x40	T8x40	T9x50		



260P K7 PicoFinish Slotted/Phillips Screwdriver Set, 7 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Series					£
00504 7	260P K7				1	21.92
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50	PH1x60		



267P K6 PicoFinish TORX® Screwdriver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				£	
03765 9	267P K6				1	29.15
⚙	267P	T7x40	T8x40	T9x50		
		T10x50	T15x60	T20x60		

TORX® MagicSpring® Set.



267PR K6 PicoFinish TORX® MagicSpring® Screwdriver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.
Retaining Spring holds TORX® Screws in Place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: For setting and tightening TORX® screws in difficult to access areas.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series		£
27747 5	267PR K6	1	35.78
	267PR	T6x40 T7x40 T8x40 T9x50 T10x50 T15x60	

Ballpoint Hex L-Key Set.



264P K6 PicoFinish Ballpoint Hex Screwdriver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.
 The ballpoint enables the user to work at angles up to 25°.

Order-No.	Series		£
00536 8	264P K6	1	27.72
	263P	0.9x40	
	264P	1.3x40 1.5x50 2.0x50 2.5x60 3.0x60	



265P K6 PicoFinish Hex Nut Driver Set, 6 pcs.
Handle with Rotating Cap and Rapid-turning Zone.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series		£
00557 3	265P K6	1	36.79
	265P	2,5x60 3x60 3,5x60 4x60 5x60 5,5x60	