

## DIN rail adapter - PTFIX 1,5-NS15A - 1049500

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

DIN rail adapter, width: 8 mm



COMPLETE™

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	30 pc
GTIN	 4 055626 662213
GTIN	4055626662213
Weight per Piece (excluding packing)	0.660 g
Custom tariff number	39269097
Country of origin	Poland

### Technical data

#### Dimensions

Width	8 mm
-------	------

### Classifications

#### eCl@ss

eCl@ss 10.0.1	27141190
eCl@ss 8.0	27370419
eCl@ss 9.0	27370419

# DIN rail adapter - PTFIX 1,5-NS15A - 1049500

## Classifications

### ETIM

ETIM 5.0	EC001024
ETIM 6.0	EC001024
ETIM 7.0	EC001024

## Approvals

### Approvals


#### Approvals


EAC / CSA / cUL Recognized

#### Ex Approvals

### Approval details

EAC		RU C- DE.AI30.B.01102
-----	---	--------------------------

CSA		<a href="http://www.csagroup.org/services-industries/product-listing/">http://www.csagroup.org/services-industries/product-listing/</a>	13631
	B	C	D
Nominal voltage UN	300 V	150 V	300 V
Nominal current IN	20 A	20 A	10 A
mm <sup>2</sup> /AWG/kcmil	26-12	26-12	26-12

cUL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	FILE E 60425
	B	C	D
Nominal voltage UN	300 V	150 V	300 V
Nominal current IN	15 A	15 A	10 A
mm <sup>2</sup> /AWG/kcmil	26-14	26-14	26-14

